

Wild buckwheat is sometimes called black bindweed and is OFTEN CONFUSED with field bindweed. Both have arrowhead shaped leaves and vines that grow along the ground and twist around other plants.

HOW TO TELL THE DIFFERENCE BETWEEN THE TWO? WILD BUCKWHEAT (Annual) FIELD BINDWEED (Perennial)

- · Likes partial shade.
- Pointier leaf tips.
- Spreads by seed.
- Very small, greenish flowers with no petals.
- Thin, short, dark roots.
- Easy to pull the roots.

- Likes sun.
- · Rounder leaf tips.
- · Spreads by seeds and roots.
- Small, white 'morning glory' flowers.
- · Very long, white roots.
- · Difficult to pull the roots.



Polygonum convolvulus

HOW TO CONTROL WILD BUCKWHEAT?

- It's much easier to manage than field bindweed.
- Seedlings are easy to kill by hoeing or covering with mulch.
- Can kill long vines by cutting the stem at the base of the plant.
- Don't let it flower and go to seed if it does there will be many, many new seedlings in the spring.

Sources: Hartzler, B. and Vittetoe, R. Wild Buckwheat. Iowa State University Extension and Outreach. https://crops.extension.iastate.edu/encyclopedia/wild-buckwheat Royer, F. and Dickinson, R. Weeds of Canada and the Northern United States, 1999.

Image: Langton Alicia, U.S. Fish and Wildlife Service, Public domain, via Wikimedia Commons.